

DECLARATION of PERFORMANCE
according to Annex III of the regulation (EU) Nr. 305/2011 (construction product regulation)
Nr. EJOT 2-008-150282 - 2015

- 1.) Unique identification code of the product-type:
EJOT Multifix VSF
- 2.) Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
Type and batch number are shown on the label
- 3.) Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:
Bonded injection type anchor for use in concrete: sizes M8 to M24, rebar 8 to 25mm
- 4.) Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):
EJOT Baubefestigungen GmbH, In der Stockwiese 35, 57334 Bad Laasphe
- 5.) Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2) :
Not relevant
- 6.) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
System 1
- 7.) In case of the declaration of performance concerning a construction product covered by a harmonized standard:
Not relevant
- 8.) In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:
CSTB issued the ETA 15-0282 based on ETAG 001, Edition April 2013.
CSTB performed:
the determination of the product type on the basis of type testing (including sampling), type calculation, tabulated values or descriptive documentation of the product; the initial inspection of the factory and of the factory production control; the continuous surveillance; assessment and approval of the factory production control; under system 1 and issue the certificate of conformity n° 1404-CPR-2615.

- 9.) Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Characteristic resistance under tension loads in cracked and non-cracked concrete	Annex C1,C2, C5, C6	ETA 15-0282
Characteristic resistance under shear loads in cracked and non-cracked concrete	Annex C3, C4, C7, C8	
Displacement under service loads: tension and shear loads	Annex C9	

- 10.) The performance of the product according to paragraph Nr 1 and 2 corresponds to the declared performance in Nr. 9. Responsible for creating this product performance is only the manufacturer according to Nr. 4.

Signed for and in the name of the manufacturer:

Dr. Frank Dratschmidt / Vice President

(Name and function)

Bad Laasphe 17.07.2015

(Place and date of issue)



(Signature)